

<b>PMG1EDC APC Correspondence Address</b> 10625809 <span style="float: right;">X</span>		
<b>Correspondence Address</b>		
Customer Number <input type="text"/>	Change Reason <input type="text" value="Applicant Request"/>	
<b>Directly Supplied</b>		
Name *	<input type="text" value="Medtronic Vascular, Inc."/>	
Street *	<input type="text" value="3576 Unocal Place"/>	
City *	<input type="text" value="Santa Rosa"/>	
State/Province <input type="text" value="CA"/>	Postal <input type="text" value="95403"/>	Country * <input type="text" value="US"/>
<div>Save Refresh Clear</div>		
<b><u>Other Contact Information</u></b>		
Phone No. / Ext. <input type="text" value="8479057111"/>	Fax No. <input type="text" value="8479057113"/>	E-Mail <input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>
<div>Print Cancel</div>		
<b>Last Modification</b> BWAYNES 01/06/2005		
New direct address saved bwaynes 01/06/2005		

BEST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**